



Abbildungen/Daten/Diagramme unverbindlich
Illustrations/Dates/Graphs without engagement


Drehschieberpumpe für nicht

- giftige
- brennbare
- explosive Gase

Rotary vane pump for non


- toxic
- flammable
- explosive gases

Spannung/voltage 12V




Typ/Model	Gewicht weight g	Nennstrom Nominate current mA	Spannung voltage V	Volumenstrom flow l/(min)	Vakuum vacuum				Druck pressure			
					Strom current		[-] mbar	Lautstärke noise level dB(A)	Strom current		[+] mbar	Lautstärke noise level dB(A)
					min. mA	max. mA			min. mA	max. mA		
DC12/08FK Art.-Nr.: 15518	97	450	12,0	1,5	105	160	165	64	105	165	170	61
			9,0	1,2	70	110	120	57	70	130	110	58
			6,0	0,8	40	70	65	52	40	100	55	51
DC12/16FK Art.-Nr.: 15733			12,0	3,1	150	290	240	61	150	290	240	62
			9,0	2,4	105	195	150	55	105	190	145	55
			6,0	1,6	55	115	75	50	55	110	75	50
DC12/18FK Art.-Nr.: 15739			12,0	4,3	185	320	210	62	185	320	205	64
			9,0	3,4	125	215	130	55	125	215	125	56
			6,0	2,4	70	120	65	52	70	125	70	53

Type/Model: DC12/08FK



Type/Model: DC12/16FK



Type/Model: DC12/18FK

